

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S25	15997	(rfid "r.f.i.d." "radio frequency identification" "radio frequency id" "radio frequency i.d.")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/02/15 09:13
S27	309	S25 and mode with (standby idle)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/02/15 09:17
S28	11	S25 and mode with (standby idle) same (impedance resistance)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/02/15 09:18
S29	33	S25 and mode with (standby idle energy) same (impedance resistance)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/02/15 09:26
S30	309	S25 and reset\$3 same voltage	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/02/15 09:37
S31	573	S25 and confirm\$4 with (id identification)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/02/15 09:37
S32	0	S25 and confirm\$4 with (id identification) with reset	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/02/15 09:37
S33	0	S25 and confirm\$4 with (id identification) with reset\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/02/15 09:38
S34	138	399/12.ccls. and 399/24,27.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/02/15 09:44
S35	13	399/12.ccls. and 399/24,27.ccls. and S25	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/02/15 09:59
S36	318	340/572.3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/02/15 10:45
S37	6	("4512033"   "5241923"   "5517194"   "5523749"   "5600323"   "5602535").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/15 10:37

## EAST Search History

S38	10	("6549119").URPN.	USPAT	OR	ON	2007/02/15 10:40
S39	55	340/572.3.ccls. and impedance	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/02/15 10:45
S40	16	340/572.3.ccls. and impedance with current	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/02/15 10:48
S41	9	340/10.5.ccls. and impedance with current	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/02/15 10:52
S42	3	340/7.32.ccls. and impedance with current	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/02/15 10:53
S43	2	340/7.33.ccls. and impedance with current	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/02/15 10:54
S44	4	340/7.37.ccls. and impedance with current	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/02/15 10:55
S45	9	340/10.5.ccls. and impedance with current	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/02/15 10:56
S46	8989	"340"/\$.ccls. and current same (antenna coil) same (energy power)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/02/15 10:57
S47	245	"340"/\$.ccls. and (reduc\$4 drop\$3) near current same (antenna coil) same (energy power)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/02/15 10:57
S48	95	"340"/\$.ccls. and (reduc\$4 drop\$3) near current with (antenna coil) same (energy power)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/02/15 10:59
S49	5	"340"/572.1,572.7.ccls. and (reduc\$4 drop\$3) near current with (antenna coil) same (energy power)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/02/15 11:20
S50	776	"340"/572.1,572.7.ccls. and (energy power) with (low saving)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/02/15 11:20

## EAST Search History

S51	157	"340"/572.1,572.7.ccls. and (energy power) with (low saving) same current	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/02/15 11:21
S52	87	"340"/572.1,572.7.ccls. and (energy power) with (low saving) with current	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/02/15 11:23
S53	20	"340"/572.7.ccls. and (energy power) with (low saving) with current	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/02/15 11:41
S54	5481	(energy power) with (low saving) with current.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/02/15 11:44
S55	112	(energy power) with (low saving) with current.clm. and (S25 non adj contact wireless).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/02/15 11:52
S56	77	340/539.3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/02/15 11:52